EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(delay or latenc\$5) near4 (limit or threshold\$2) near5 (exceed or beyond or above) with (dealloc\$7 or de adj alloc\$7 or preempt\$5 or preempt\$5 or preempt\$5 or pre adj empt\$5 or reassign\$5 or readj empt\$5 or readj empt\$5 or readj empt\$5 or readj empt\$5 or reduc\$5 or decreas\$5 or allocat\$6 or re adj alloc \$7 or reduc\$5 or decreas\$5 or allocat\$5 or assign\$5) near4 (bandwidth\$3 or resource\$4 or slot\$2 or timeslot\$2) and (@ad<= "20030114" or @pd= "20030114" or @rian<= "20030114" or @rian<= "20030114" or @rian<= "30030114" or "375" or "375" or "370").das.	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/02/17
L2	2	(delay or latenc\$5) near4 (limit or threshold\$2) near5 (exceed or beyond or above) with (dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or preempt\$5 or reassign\$5 or re adj empt\$5 or reassign\$5 or re adj empt\$5 or reallocat\$6 or re adj alloc\$7 or reduc\$5 or decreas\$6 or adj alloc\$7 or reduc\$5 or decreas\$5 or allocat\$5 or assign\$5) near4 (brandwidth\$3 or resource\$4 or slot\$2 or timeslot\$2) and (@ad<="20030114" or @pta="20030114" or @rta="20030114" or @rta="20	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/02/17
L3	8	(delay or latenc\$5) near4 (limit or threshold\$2) near6 (exceed or beyond or above) with (dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or preempt\$5 or reassign\$5 or re adj empt\$5 or reassign\$5 or readj essign \$5 or reduc\$5 or decreas\$5 or adjlocat\$6 or re adj alloc \$7 or reduc\$5 or decreas\$5 or allocat\$6 or re adj alloc \$7 or reduc\$5 or decreas\$5 or allocat\$6 or or courc\$2 or timeslot\$2 or channel \$2 or band or frequenc\$2 and (@ad<= "20030114" or @pd<= "20030114" or @pd<= "20030114" or	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/02/17 10:05

		@rlad<= "20030114" or @rlpn<= "20030114")				
_4	1	(US-6671512-\$).did.	USPAT	ADJ	OFF	2009/02/17 10:22
L5	1	4 and (tfc or transport format)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 10:23
SI	53	(US-20040090916-\$ or US-20020102981-\$ or US-20020128014-\$ or US-20020128014-\$ or US-20020128014-\$ or US-20020128014-\$ or US-20060276181-\$ or US-2006023625-\$ or US-2006023925-\$ or US-2006023925-\$ or US-2006023925-\$ or US-2004021458-\$, or US-6671512-\$ or US-6067301-\$ or US-6671512-\$ or US-6067301-\$ or US-6671512-\$ or US-6367351643-\$ or US-7328025-\$ or US-6351643-\$ or US-641822-\$ or US-6374801-\$ or US-647821-\$ or US-647821-\$ or US-647821-\$ or US-647821-\$ or US-6390808-\$ or US-612221-\$ or US-6310859-\$ or US-7123910-\$ or US-628609-\$ or US-5282207-\$).	US-PAT-UB; USPAT; EPO; DETWENT; IBM_TDB	ADJ	OFF	2009/02/16
82	27	(US-20040090916-\$ or US-20020102981-\$ or US-20020128014-\$ or US-20020128014-\$ or US-20020128014-\$ or US-20020128014-\$ or US-2005013820-\$ or US-2006023820-\$ or US-20060239259-\$ or US-20060239259-\$ or US-20040214582-\$, old. or (US-715489-\$ or US-6671512-\$ or US-6067301-\$ or US-6671512-\$ or US-607301-\$ or US-631643-\$ or US-6351643-\$ or US-6351643-\$ or US-6351643-\$ or US-6351643-\$ or US-6418322-\$ or US-5479407-\$ or US-5574861-\$ or US-635088-\$ or US-612291-\$ or US-612291-\$ or US-612291-\$ or US-6120291-\$ or US-6120291-\$ or US-6120291-\$ or US-6120291-\$ or US-62609-\$ or US-5282207-\$). did.	US-PGPUB; USPAT	ADJ	OFF	2009/02/16

S3	35	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or preempt\$5 or pre adj empt\$5 or reassign\$5 or re adj assign \$5 or re adj assign \$5 or reallocat\$6 or re adj alloc \$7 or reduc\$5 or decreas\$5) with (less or small\$5) near7 guarante\$4 and (@ad<="20030114" or @nd<="20030114" or @idac<="20030114" or @idac<="20030114" or @idac<="20030114" or @idac="50030114" or @	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/16 21:07
S4	264	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or preampts\$5 or preampts\$5 or preampts\$5 or reassign\$5 or re adj assign \$5 or re adj assign \$5 or reallocat\$6 or e adj alloc \$7 or reduc\$5 or decreas\$5) with (less or smalls\$5) adj7 (guarants\$4 or minimum) and ((@ad<="20030114" or @/dc="20030114" or @/lan="20030114" or @/lan="20030114") and ("455" or "375" or "370").das.	US-POPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/16 21:08
S5	34	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or preamgts\$5 or preamgts\$5 or preamgts\$5 or reallocat\$6 or e adj alloc\$7 or reallocat\$6 or e adj alloc\$7 or reallocat\$6 or e adj alloc\$7 or reduc\$5 or decreas\$5) with (less or small\$5) adj7 (guarante\$4 or minimum) adj3 (rate\$2 or bitrate\$2 or bandwidth\$2 or resource\$2) and (@ad<="20030114" or @da="20030114" or @rlad<="20030114" or @rlad<="20030114" or @rlad<="20030114" or @rlad<="30030114" o	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/16 21:44

S 6	557	Idealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or preempt\$5 or pre adj empt\$5 or reassign\$5 or re adj assign \$5 or relocat\$6 or re adj alloc \$7 or reduc\$5 or decreas\$5) with (guarante\$4 or minimum) adj3 (rate\$2 or bitrate\$2 or bandwidth\$2 or resource\$2) and (@ad<="20030114" or @ad<="20030114" or @lan<="20030114" or @lan<="20030114" or @itan<="20030114" or @itan="50030114" or "allocat" or "375" or "370").das.	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/02/16 22:04
S7	0	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or reas\$4 or downgrad\$5 or reas\$ign\$5 or rea adj assign \$5 or readj assign \$5 or readj assign \$5 or readj assign \$5 or readj alloc \$7 or reduca\$6 or re adj alloc \$7 or reduca\$6 or decreas\$5) with (precent\$4) near5 (guarante\$2 or birtate\$2 or bandwidth\$2 or resource\$2) and (@ad<="20030114" or @ilan<="20030114" or @ilan<="20030114" or @ilan<="20030114" or @ilan<="20030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/16 22:04
\$8	2	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or pre adj empt\$5 or reassign\$5 or pre adj empt\$5 or reassign\$5 or readj assign \$5 or reallocat\$6 or re adj alloc \$7 or reducat\$6 or re adj alloc \$7 or reducat\$6 or reassign\$5 or decreas\$5) with (percent\$4) near5 (guarante\$4 or minimum) adj3 (rate\$2 or birtate\$2 or bandwidth\$2 or resource\$2) and (@ad<="20030114" or @id="20030114" or	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/16 22:05

S9	24	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or readj empt\$5 or reasign\$5 or pre adj empt\$5 or reasign\$5 or readj alloc\$7 or reallocat\$6 or re adj alloc\$7 or reduce\$5 or decreas\$5) with (percent\$4) near5 (guarante\$4 or minimum) and (@ad<="20030114" or @pd<="20030114" or @inar="20030114" or @inar	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/16 22:06
S10	0	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or reas\$4 or downgrad\$5 or reassign\$5 or rea adj empt\$5 or reassign\$5 or readj empt\$5 or reassign\$5 or readj alloc\$7 or reduce\$5 or decreas\$5) with ("%") near5 (guarante\$4 or minimum) and (@ad<="20030114" or @pd<="20030114" or @ilan<="20030114" or @ilan<="20030114" or @ilan<="20030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<">30030114" or	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/02/16 22:39
S11	2	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or re represents \$5 or pre adj empt\$5 or reassign\$5 or re adj empt\$5 or reassign\$5 or re adj assign \$7 or reduc\$5 or decreas\$5) with ("10%") near5 (guarante \$4 or minimum) and (@ad<="20030114" or @pd<="20030114" or @ilan<="20030114" or @ilan<="20030114" or @ilan<="20030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<">30 or "375" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/16 22:39
S12	0	[seiz\$5) with (percent\$4) near5 (guarante\$4 or minimum) and (@ad< = "20030114" or @riz030114" or @riz030114" or @riad< = "20030114" or @riad< = "20030114" or @rijon= "20030114" or @rijon= "20030114" or @rijon= "20030114") and ["455" or "375" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/16 22:51

S13	23	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or preadje mmt\$5 or reassign\$5 or per adj emmt\$5 or reassign\$5 or rea adj alloc \$7 or reallocat\$6 or re adj alloc \$7 or redlocat\$6 or decreas\$5) with (fraction\$2) near6 (guarante\$4 or minimum) and (@ad<="20030114" or @pd<="20030114" or @ilad<="20030114" or @ilad<="20030114" or @ilad<="20030114" or @ilad<="50030114" or @ilad<="5003	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/16 22:53
S14	0	(seiz\$5) with (fraction\$2) near6 (guarants\$4 or minimum) and (@adc= "20030114" or @pdc= "20030114" or @ilanc= "20030114" or @ilanc= "20030114" or @ilanc= "20030114") and ("455" or "375" or "370").das.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/16 23:04
S15	52	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or preampt\$5 or preampt\$5 or preampt\$5 or reassign\$5 or re adj assign \$5 or re adj assign \$5 or re adj assign \$5 or reallocat\$6 or re adj alloc \$7 or reduc\$5 or decreas\$5 or seiz\$5) with (part\$5) near6 (guarante\$4 or minimum) and (@ad<="20030114" or @pd<="20030114" or @iad<="20030114" or @iad<="20030114" or @iagr=="20030114" or @iagr=="20030114" or @iagr=="20030114" or @iagr=="20030114" or @iagr=="20030114" or @iad<="20030114"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TOB	ADJ	OFF	2009/02/16 23:04
S16	28	(precent\$4 or fraction\$2) near5 (guarante\$4 or minimum) adj3 (rate\$2 or bitrate\$2 or bandwidth\$2 or resource\$2) and (@ad-= "20030114" or @rlan<= "20030114" or @rlad= "20030114" or @rlad= "20030114" or @rlan<= "20030114" or 3/20 or "3/5"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/16 23:09

S17	99		US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/16 23:10
S18	14	(percent\$4 or fraction\$2) near5 (guarante\$4 near3 minimum) near34 (rate\$2 or bitrate\$2 or bandwidth\$52 or resource\$20 or bandwidth\$2 or resource\$20 or by and (@adc = "20030114" or @rlac = "20030114" or @rlac = "20030114" or @rlac = "20030114" or @rlac = "50030114"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/16 23:17
S19	***************************************	(dealoc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or resas\$4 or downgrad\$5 or pre adj empt\$5 or reassign\$5 or re adj assign \$5 or readj assign \$5 or reduc\$6\$ or e adj alloc\$7 or reduc\$5 or decreas\$5 or seiz\$6) with (less or small\$4) adj8 (guarante\$4 or minimum) adj3 (rate\$2 or birate\$2 or bandwidth\$2 or resource\$2) and (@ad<="20030114" or @da<="20030114" or @rlac<="20030114" or @rlac<="20030114" or @rlac<="20030114" or @rlac<="30030114" or @r	US-PCPUB; USPAT; EPO; DEFWMENT; IBM_TDB	ADJ	OFF	2009/02/16 23:22
S20	41	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or re readj empt\$5 or readj empt\$5 or reassign\$5 or re adj empt\$5 or reassign\$5 or re adj alloc\$7 or reduc\$8 or de adj alloc\$7 or reduc\$5 or decreas\$5 or seiz\$6] with (below) adj8 (guarante\$4 or minimum) adj3 (rate\$2 or bitrate\$2 or bandwidth\$2 or resource\$2) and (@ad<="20030114" or @dd<="20030114" or @iad="20030114" or @iad="20030114" or @iad="20030114" or @ipn="20030114" or @ipn="20030114" or @ipn="20030114" or adjon="20030114" or adjon="2003011	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/02/16

S21	5	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or preempt\$5 or pre adj empt\$5 or reassign\$5 or re adj assign\$5 or re adj assign\$5 or readj assign\$6 or re adj alloc\$7 or reduc\$5 or decreas\$5 or seiz\$6) with (portion\$2) adj\$ (guarante\$4 or minimum) adj\$ (rate\$2 or bitrate\$2 or bandwidt\$2 or resource\$2) and (@dac="20030114" or @dac="20030114" or @rlan<="20030114" or @rlan<="20030114") and ("455" or "375" or "370").das.	IUS-PAT-UB; USPAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/02/16 23:42
522		(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or preadje impnt\$5 or reassign\$5 or re adj assign\$5 or reallocat\$6 or reads\$10 or seiz\$50 with (portion\$2 or fraction\$2 or percentag\$5) adj8 (guarante\$4 or minimum) adj3 (allocation\$2 or slot\$3 or timeslot\$2) and (@ad<="20030114" or @pd<="20030114" or @rlan<="20030114" or @rlan<="20030114" or @rlan<="20030114" or @rlan<="30030114" or @rlan<"30030114" or @rlan<="30030114" or @rlan<">30030114" or @rlan<="30030114" or @rlan<="30030114" or @rlan<="30030114" or @rlan<">30030114" or @rlan<="30030114" or @rlan<="30030114" or @rlan<="30030114" or @rlan<">30030114" or @rlan<="30030114" or @rlan<="30030114" or @rlan<">30030114" or @rlan<="30030114" or @rlan<">30030114" or	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/16 23:44
523	. 1	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or preempt\$5 or pre adj empt\$5 or reassign\$5 or re adj assign \$5 or re adj assign \$5 or reduc\$5 or decreas\$5 or seiz\$6) with (portion\$2 or fraction\$2 or percentag\$5) adj8 (guarante\$4 or minimum) adj6 (allocation\$2 or slot\$3 or timeslot\$2) and (@adc="20030114" or @pd="20030114" or @flan=="20030114" or @flad=="20030114" or @flad=="20030114") and @flad=="20030114" or @flad==	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/16 23:45

S24	1	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or pre adj empt\$5 or peasign\$5 or re adj assign\$5 or readjassign\$5 or readjassign\$6 or readjassign\$6 or readjassign\$6 or readjassign\$6 or readjassign\$6 or reduc\$5 or decreas\$5 or siz\$6) with (portion\$2 or fraction\$2 or percent\$5) adj8 (guarante\$4 or minimum) adj6 (allocation\$2 or slot\$3 or timeslot\$2) and (@adc = "20030114" or @idac = "200	US-PGPUB; USPAT; EPO; DEFWMENT; IBM_TDB	ADJ	OFF	2009/02/16
\$25	1	(decrement\$5) with (portion\$2 or fraction\$2 or percent\$5) adj8 (guarant8\$4 or minimum) adj6 (allocation\$2 or slot\$3 or timeslot\$2 or bandwidth\$2 or resourc\$5) and (@adc = "20030114" or @pdc = "20030114" or @ilan = "20030114" or @ilan = "20030114" or @ilan = "50030114" or @ilan = "50030	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/16 23:47
S26	0	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or pre adj empt\$5 or reassign\$5 or rea adj empt\$5 or reassign\$5 or rea adj alloc \$7 or redloca\$6 or decreas\$5 or seiz\$6 or decreas\$5 or seiz\$6 or decreas\$5 or seiz\$6 or decreas\$5 or minimum) adj6 (allocation\$2 or minimum) adj6 (allocation\$2 or minimum) adj6 (allocation\$2 or dept = "20030114" or @pta= "20030114" or @riad<= "20030114" or @riad<= "20030114" or @riad<= "20030114" or @riad<= "30030114" or @r	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/02/16 23:49

S27		(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or releas\$4 or downgrad\$5 or preampt\$5 or prea adj empt\$5 or releas\$6 or preampt\$5 or preampt\$5 or preampt\$5 or preampt\$5 or preampt\$6 or destable \$7 or reduc\$5 or decreas\$5 or seiz\$6 or decrement\$5) with (part\$2) adj8 (guarante\$4 or minimum) adj6 (allocation\$2 or slot\$3 or timeslot\$2 or bandwidth\$2 or resourc\$5) and (@ad<= "20030114" or @rian<= "20030114" or @rian<= "20030114" or @rian<= "20030114" or (@riad<= "20030114") and ("455" or "375" or "370").das.	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/02/16 23:50
\$28	, ————————————————————————————————————	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or releas\$4 or downgrad\$5 or releas\$4 or preempt\$5 or pre adj empt\$5 or releas\$6 or pre adj empt\$5 or relocat\$6 or re adj alloc \$7 or reduc\$5 or decreas\$5 or seiz\$6 or decrement\$5) with (some) adj8 (guarante\$4 or minimum) adj6 (allocation\$2 or slot\$3 or timeslot\$2 or bandwidth\$2 or resourc\$5) and (@ad<= "20030114" or @rian<= "20030114" or @rian<= "20030114" or @rian<= "20030114" or @rian<= "30030114" or @rian<= "3003014" o	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/02/16 23:52
S29	,	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or reasign\$5 or pre adj empt\$5 or reasign\$5 or pre adj empt\$5 or reasign\$5 or readj empt\$5 or reasign\$5 or readj alloc \$7 or reduca\$6 or re adj alloc \$7 or reduca\$6 or decrems\$5 or seiz\$6 or decrement\$5) with (some) adj8 (guarante\$4 or minimum) near6 (allocation\$2 or slot\$3 or timeslot\$2 or slot\$3 or timeslot\$2 or slot\$3 or decrement\$5 and (@ad<="20030114" or @pd<="20030114" or @rlan<="20030114" or @rlan<="20030114" or @rlan<="20030114" or @rlan<="20030114" or 375" or "375" or "370").clas.	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/02/16 23:52

S30	0	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or readj empt\$5 or reasign\$5 or pre adj empt\$5 or reasign\$5 or readj empt\$5 or reasign\$5 or readj empt\$5 or decreas\$6 or decreas\$5 or seiz\$6 or decreas\$5 or decreas\$2 or readj adj8 (minimal) neaf6 (allocation\$2 or 10%" or every or each) adj8 (minimal) neaf6 (allocation\$2 or slot\$3 or timeslot\$2 or bandwidth\$2 or resourc\$5) and (@ad<="20030114" or @pd<="20030114" or @ilad<="20030114" or @ilad<="20030114" or @ilad<="30030114" or @ilad 30030114" or @ilad</30030114" or</th <th>US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB</th> <th>ADJ</th> <th>OFF</th> <th>2009/02/16 23:56</th>	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/02/16 23:56
S31	32	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or preempt\$5 or pre adj empt\$5 or reassign\$5 or re adj assign \$5 or re adj assign \$5 or reducat\$6 or re adj alloc \$7 or reduc\$5 or decreas\$5 or seiz\$6 or decrement\$5) with (some or percent\$5 or portion \$2 or part\$2 or fraction\$2 or part\$2 or fraction\$2 or *10%" or every or each) adj8 (min\$6 or guarante\$5) near6 (allocation\$2 or slot\$5 or totimeslot\$2 or bandwidth\$2 or resourc\$5 and (@adc="20030114" or @idac="20030114" or @idac="20030114" or @ilanc="20030114" or @ilanc="30030114" or @ilanc="30030	US-PGPUB; USPAT; EPO; DEFEWENT; IBM_TDB	ADJ	OFF	2009/02/16 23:56
S32	19	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or releas\$4 or downgrad\$5 or releas\$4 or preempt\$5 or prea adj empt\$5 or reassign\$5 or re adj assign \$5 or re adj assign \$5 or releas\$6 or decreas\$5 or seiz\$6 or decreas\$1 with \$2 or part\$2 or fraction\$2 or "10%" or every or each) adj8 (guarante\$5) and (@ad<="20030114" or @pd<="20030114" or @illoc="20030114" or @illoc="200	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/02/16 23:58

\$33		Idealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or pre adj empt\$5 or pre adj empt\$5 or reassign\$5 or re adj assign \$5 or relocat\$6 or re adj alloc \$7 or reduc\$5 or decreas\$5 or seiz\$6 or decrement\$5) with (small\$3 or bellow\$2 or less) adj 8 (guarante\$5) and (@ad<= '20030114" or @id== '20030114" or @id== '20030114" or @id== '20030114" or @id== '20030114" or "@id== '20030114" or	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/02/17 00:11
⊗ 4	252	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or preadjempt\$5 or readjassign \$5 or re adj assign \$5 or readjassign \$5 or readjassign \$5 or readjassign \$6 or deoreas\$5 or seiz\$6 or deoreas\$5 or seiz\$6 or deoreas\$5 or seiz\$6 or deoreas\$1 or seiz\$6 or deoreas\$1 or seiz\$2 or slot\$2 and (guarante\$4 near6 (timeslot\$3 or slot\$2)) and (guad<="20030114" or @pd<="20030114" or @rlac<="20030114" or @rlanc="20030114" or @rlanc="2	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 00:16
\$35	49	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or preemgts\$5 or pre adj empt\$5 or reassign\$5 or readj empt\$5 or reasign\$5 or readj assign \$5 or reallocat\$6 or re adj alloc \$7 or reducat\$6 or re adj alloc \$7 or reducat\$6 or decrems\$5 or seiz\$6 or decrement\$5) with timeslot\$2 or slot\$2) same (guarante\$4 near6 (timeslot\$3 or slot\$2)) and (@ad<="20030114" or @pd<="20030114" or @ilan<="20030114" or @ilan<="20030114" or @ilan<="30030114" or @ilan<">30030114" or @ilan<="30030114" or @ilan<"30030114" or @ilan<="30030114" or @ilan<="30030114" or @ilan<"30030114" or @ilan<"3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 00:16

S36	9 0.	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or preempt\$5 or pre adj empt\$5 or reassign\$5 or re adj assign\$5 or reallocat\$6 or re adj alloc \$7 or reduc\$5 or decreas\$5 or seiz\$6 or decreas\$5 or seiz\$6 or decreas\$5 or seiz\$6 or decreas\$5 or seiz\$6 or decreas\$5 or stillizat\$5 or flow control\$2 or utilizat\$5 or flow control\$3 or utilizat\$5 or flow control\$4 or utilizat\$5 or solve flow control\$5	US-PAT-US- USPAT; EPO; DETWENT; IBM_TDB	ADJ	OFF	2009/02/17 00:20
⊠ 7	• • • • • • • • • • • • • • • • • • •	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or preadjempt\$5 or readjempt\$5 or readjempt\$5 or readjem\$5 or readjem\$5 or readjem\$5 or readjem\$5 or readjem\$5 or readjem\$6 or decreas\$5 or seiz\$6 or decreas\$5 or seiz\$6 or decreas\$5 or seiz\$6 or decreas\$5 or fraction\$4 or decreas\$0 or slot\$2 or slot\$	US-PGPUB; USPAT; EPO; DEPWENT; IBM_TDB	ADJ	OFF	2009/02/17 00:25
S38	15	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or preampt\$5 or pre adj empt\$5 or reasisgn\$5 or readj assign \$5 or reallocat\$6 or re adj alloc \$7 or reduc\$5 or decreas\$5 or seiz\$6 or decrement\$5) with (every\$2 or each) near3 (timeslot\$2 or slot\$2)and (guarante\$4 near6 (timeslot\$3 or slot\$2)) and (@ad<="20030114" or @pla<="20030114" or @pla<="20030114" or @ilad<="20030114" or @ilad<="20030114" or @ilad<="20030114") and ("455" or "375" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 00:46

239	17	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or resas\$4 or downgrad\$5 or preempt\$5 or pre adj empt\$5 or reassign\$5 or re adj assign \$5 or realocat\$6 or re adj alloc \$7 or reduc\$5 or decreas\$5 or seiz\$6 or decrement\$5) with (percent\$5 or portion\$2 or fraction\$4 or some) near\$6 (timeslot\$2 or slot\$2) and (guarante\$4 near\$6 (timeslot\$3 or slot\$2)) and (@adc = "20030114" or @pta= "20030114" or @rian<= "20030114" or @rian<= "20030114") and ("455" or "375" or "370").das.	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/02/17
S 40	1	(US-20020024971-\$).did.	US-PGPUB	ADJ	OFF	2009/02/17 00:59
S41	1	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or preempt\$5 or pre adj empt\$5 or reassign\$5 or re adj assign \$5 or reducat\$6 or re adj alloc \$7 or reduc\$5 or decreas\$5 or seiz\$6 or decreas\$5 and \$40 or reduc\$5 or decreas\$5 and \$40 or reduc\$5 or decreas\$5 or seiz\$6 or decreas\$5 and \$40 or reduc\$5 or decreas\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 00:59
S42	250	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or preempt\$5 or pre adj empt\$5 or reassign\$5 or re adj assign \$5 or re adj assign \$5 or reducat\$6 or re adj alloc \$7 or reduc\$5 or decreas\$5 or seiz\$6 or decrems\$5 with (percent\$5 or portion\$2 or fraction\$4 or some) adj6 (assign\$6 or allocat\$6) and (@ad<="20030114" or @pd<="20030114" or @iad<="20030114" or @iad<="20030114" or @iad<="20030114" or @iad<="20030114" or @iad<="30030114" or 30030114" or 3003	US-PGPUB; US-PAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/02/17

S43	250	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or pre adj empt\$5 or readjs sign \$5 or re adj assign \$5 or reads:65 or decreas\$5 or seiz\$6 or decreas\$5 or seiz\$6 or decreas\$5 or seiz\$6 or decreas\$5 or faction\$4) adj6 (assign\$6 or faction\$4) adj6 (assign\$6 or allocat\$6) and (@ad<="20030114" or @pd="20030114" or @rlan="20030114" or @rlan="20030114" or @rlan="30030114" or @rlan="50030114" or "375" or "375" or "370").das.	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/02/17 01:03
S44	11	(dealioc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or preempt\$5 or pre adj empt\$5 or reassign\$5 or re adj assign \$5 or relocat\$6 or re adj alloc \$7 or reduc\$5 or decreas\$5 or seiz\$6 or decreas\$5 or portion\$2 or fraction\$4) adj6 (assign\$6 or allocat\$6) near4 (timeslot\$2 or slot\$3) and (@ad<= "20030114" or @pd= "20030114" or @rlan= "20030114" or @rlan= "20030114" or @rlan= "20030114" or ("455" or "375" or "370").das.	US-PGPUB; USPAT; EPO; DEPWENT; IBM_TDB	ADJ	OFF	2009/02/17
S45	1-	(dealloc\$7 or de adj alloc\$7 or releas\$4 or downgrad\$5 or preemgts\$5 or pre adj emgt\$5 or reassign\$5 or reas adj alloc\$7 or reassign\$5 or readj alloc\$7 or reduca\$6 or re adj alloc\$7 or reduca\$6 or decrement\$5 or drop\$5 or discard\$5) with (percent \$5 or portion\$2 or fraction\$4 or part) adj4 (minim\$4 adj3 guarante\$5) and (@ad<="20030114" or @pd<="20030114" or @pd<="20030114" or @rlan<="20030114" or @rlan<="20030115" or "370").clas.	US-PGPUB; USPAT; EPO; DEPWENT; IBM_TDB	ADJ	OFF	2009/02/17 01:20

S46	12	(percent\$5 or portion\$2 or fraction\$4 or part) adj4 (minim \$4 adj3 quarant\$5) and (@ad<="20030114" or @pd<="20030114" or @ilan<="20030114" or @ilan<="20030114" or @ilan<="20030114" or @ilan<="20030114" or @ilan<="20030114" or @ilan<="30030114" or	US-PGPUB; USPAT; EPO; DEFIWENT; IBM_TDB	ADJ	OFF	2009/02/17 01:21
S47	1	(US-7016356-\$).did.	USPAT	ADJ	OFF	2009/02/17 01:25
S48	1	S47 and minimum	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 01:26
S49	1	S47 and guarante\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 01:30
S50	1	(low\$4) near2 priorit\$5 with (less) adj3 (timeslot\$2 or slot \$2) and (@dd< = "20030114" or @dd< = "20030114" or @lan<= "20030114" or @lan<= "20030114" or @lad<= "20030114" or @lad< = "20030114" or @lad< = "50030114" or dispr<= "20030114") and ("455" or "375" or "370").das.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 02:27
351	30	priorit\$5 with (less) adj3 (timeslot\$2 or slot\$2) and (@ad<= '20030114" or @d= "20030114" or @lan<= "20030114" or @lan<= "20030114" or @lan<= "20030114" or @lan<= "50030114" or (#ipn<= "20030114") and ('455" or "375" or "370").das.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 02:28
S52	149	priorit\$5 with minimum adj3 guarante\$5 and (@ad<= "20030114" or @pd<= "20030114" or @ilan<= "20030114" or @ilan<= "20030114" or @ilan<= "20030114" or @ilan<= "50030114" or @ilan<= "50030114" or @ilan<= "50030114" or @ilan<= "50030114" or @ilan	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 02:56
S53	0	priorit\$5 with minimum adj3 guarante\$5 adj3 (slot\$2 or timeslot\$2) and (@ad<="20030114" or @pd<="20030114" or @rda<="20030114" or @rda<="20030114" or @rda<="20030114" or @rfa="20030114" or @rfa="20030114" or @rfa="20030114" or @rfa="30030114" or @rfa="30030114	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 02:57

S54	12	priorit\$5 with guarante\$5 adj3 (slot\$2 or timeslot\$2) and (@ad<="20030114" or @pd<="20030114" or @idac="20030114" or @idac="20030114" or @idac="20030114" or @idac="20030114" or @ipn<="20030114" or or or 375" or "375" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	MADJ	OFF	2009/02/17 02:57
S55	149	priorit85 with minimum adj3 guarante85 and (@ad<= '20030114" or @pd<= "20030114" or @pd<= "20030114" or @ian<= "20030114" or @iad<= "20030114" or @iad<= "20030114" or dripn<= "20030114") and ("455" or "375" or "370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 03:13
S56	111	(priorit\$5 or class\$\$) with (less or more or great\$4 or larg\$4 or small\$5) adj5 minimum adj3 guarante\$5 and (@ad<= 20030114* or @d<= "20030114* or @ilan<= "20030114" or @ilan<= "20030114" or @ilan<= "20030114" or @ilan<= "50030114" or @ilan<	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/02/17 03:16
S57	888	(priorit\$5 or class\$\$) with (less or more or great\$4 or larg\$4 or larg\$4 sand (@ad<="20030114" or @da=="20030114" or @da=="20030114" or @da=="20030114" or @dad<="20030114" or @ripn<="20030114" or @ripn<="20030114" or @ripn<="30030114" or @ripn<"30030114" or @ripn<"30030114" or @ripn<="30030114" or @ripn<"30030114" or @ripn<="30030114" or @ripn<="30030114" or @ripn<"30030114" or @ripn<"30030114" or @ripn<="30030114" or @ripn<"30030114" or @rip	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/02/17 03:18
S58	1	(priorit\$5 or class\$\$) with (proportional\$5) adj5 minimum adj3 guarants\$5 and (@ad<= "20030114" or @pd<= "20030114" or @ilan<= "20030114" or @ilan<= "20030114" or @ilan<= "20030114" or @ilan<= "70030114" or @ilan<= "7003	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	» ADJ	OFF	2009/02/17 03:21

S59	24	small\$5) adj5 guarante\$5	US-PGPUB; USPAT; EPO; DEFWENT; IBM_TDB	ADJ	OFF	2009/02/17 03:23
S60	1	(US-6937561-\$).did.	USPAT	ADJ	OFF	2009/02/17 03:29
S63	1	S60 and (guarante\$5 or minimum\$2 or prioriti\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 03:30
S64	18	(priorit\$5 or class\$\$) with (proportional\$5) with guarante \$5 and (@ad<="20030114" or @pd<="20030114" or @rian<="20030114" or @rian<="20030114" or @riad<="20030114" or @riad<="20030114" or @riad<="50030114" or @riad<="5	US-PGPUB; USPAT; EPO; DEPWENT; IBM_TDB	ADJ	OFF	2009/02/17 03:35
S 65	5	(priorit\$5 or class\$\$) with (less \$3 or few\$4) adj5 guarante\$5 enear3 (bandwidth\$2 or resource \$2 or slot\$3 or timeslot\$2) and (@ad<="20030114" or @idan<="20030114" or @idan<="20030114" or @idad<="20030114" or @idad<="20030114" or @idad<="30030114" or @idad<="30030114" or @idad<"30030114") and ("455" or "375" or "370").das. not \$56	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 03:51
S66	64	(calculat\$5 or determin\$5) near5 minimum and]3 guarante \$5 and (@ad<= "20030114" or @pd<= "20030114" or @ian<= "20030114" or @ian<= "20030114" or @ipn<= "20030114" or @ipn<= "50030114" or @ipn<= "50030114" or @ipn<= "50030114" or	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 04:43

S67	30	(US-20060276181-\$ or US- 20060239259-\$ or US- 2005013520-\$ or US- 2005013520-\$ or US- 20040252697-\$ or US- 20040262697-\$ or US- 2004029313-\$ or US- 20040090916-\$ or US- 20020102081-\$ or US- 20020109281-\$ or US- 2002010981-\$ or US- 20020109881-\$ or US- 20020109881-\$ or US- 20040001493-\$), did. or (US- 7436788-\$ or US-728025-\$ or US-7154869-\$ or US-728025-\$ or US-7154869-\$ or US-728025-\$ or US-618222-\$ or US-628609-\$ or US-6418322-\$ or US-628609-\$ or US-6418322-\$ or US-652861-\$ or US-662861-\$ or US-6122291-\$ or US-6067301-\$ or US-5574861-\$ or US-5479407-\$ or US- 5444703-\$ or US-5282207-\$ or US-701655-\$ J. did.	US-PGPUB; USPAT	ADJ	OFF	2009/02/17 05:03
S68	23	S67 and (radio)	US-PGPUB; USPAT; EPO; DERWENT; IBM TDB	ADJ	OFF	2009/02/17 05:03
S 69	4	S67 and (radio) same (class\$4 or priorit\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 05:04
S70	10	\$87 and (handover or handoff \$2 or hand adj (over or off))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 05:53
S71	4	\$67 and (reduc\$5 with delay \$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 05:55
S72	1	(US-20050135320-\$).did.	US-PGPUB	ADJ	OFF	2009/02/17 05:57
S73	1	\$72 and (handover or handoff \$2 or hand adj (over or off) or channel\$2 or common or frequenc\$4 or band\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 05:58
S74	3	S67 and (tfc or transport format)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 06:01

S75	6	(measur\$5) adj4 (utilizat\$5) near5 periodically and (@ad<= "20030114" or @pd<= "20030114" or @rian<= "20030114" or @riad<= "20030114" or @riad<= "20030114" or @riad<= "30030114" or @riad<= "30030114" or @riad<= "30030114" or	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 07:49
S76	31	(US-20060276181-\$ or US- 20060239259-\$ or US- 20050135200-\$ or US- 20050135200-\$ or US- 200400252697-\$ or US- 200400252697-\$ or US- 20040090916-\$ or US- 20020128014-\$ or US- 20020128014-\$ or US- 20020128014-\$ or US- 20020112918-\$ or US- 20020102981-\$ or US- 20040001493-\$).idi. or US- 20040001493-\$).idi. or US- 20440001493-\$).idi. or US- 436788-\$ or US-7328025-\$ or US-7154869-\$ or US-7123910-\$ or US-6980808-\$ or US- 6671512-\$ or US-628609-\$ or US-6418322-\$ or US-628609-\$ or US-6418322-\$ or US-6551643-\$ or US-6716125-\$ or US-674861-\$ or US-574861-\$ or US-574861-\$ or US-56456-\$ or US-6493317-\$ or US-5282207-\$ or US-7016356-\$ or US-6493317-\$).idi.	US-PGPUB; USPAT	ADJ	OFF	2009/02/17 08:26
S77	20	S76 and power\$2	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/02/17 08:26

2/17/2009 10:29:26 AM C:\ Documents and Settings\ kcehic\ Desktop\ apps\ 10532127\ con127.wsp